

2020 Price list
Belgium/Europe

Bulo

List prices in Euro, excl. VAT

1st January 2020

KRS

by BuloDesigners



KRS

by BuloDesigners

The KRS storage collection is defined by the unique tambour doors. The operation is smooth and silent and looks clean and elegant whether open or closed. It is especially functional in spaces where doors are not possible.

CONTENT

1. Tambour door storage units, excl. fittings
2. Fittings
3. Top and back panels
4. Colors and materials

ALL KRS UNITS:

- have a metal carcass and a pvc tambour door
- come with a Bulosafe combination lock
- have holes in the back to attach a back panel
- have 4 adjustable feet

KRS units h.750 mm and h.1050 mm have a closed back and can be used freestanding
KRS units h.1280 mm, h.1380 mm, h.1680 mm and h.1980 mm require a back panel to place freestanding


KRS FINISH: 3 TYPES

Type 1: - straight handle and Bulosafe combination lock in black
- possible carcass finishes: black, light grey, white, cream, sand, anthracite and alu color
- possible tambour door finishes: black, light grey, white, cream, sand and anthracite

Type 2: - metal carcass and pvc tambour door in alu color RAL9006
- straight handle and Bulosafe combination lock in alu color RAL9006

Type 3: - metal carcass and pvc tambour door always in the same finish
- possible finishes: lily white, light grey, dark grey or black
- straight handle in the same finish as the carcass and the tambour door
- additional coating on the tambour door to give it a matt look
- with the dark grey and black finish: black Bulosafe combination lock
- with the lily white and light grey finish: light grey Bulosafe combination lock

GENERAL DIMENSIONS (width and depth)



FITTINGS

All fittings are in metal unless stated otherwise.

All fittings for 472 mm deep KRS units are for A4 size files or smaller.







All fittings for 572 mm deep KRS units are for larger than A4 size files.

For files smaller or larger than A4 size adapter bars might be needed in the pull-out filing frames.

KRS

by BuloDesigners

FITTING EXAMPLES

h.750 mm		2 pull-out filing frames (Germany: 1 pull-out filing frame) or 1 shelf
h.1050 mm		3 pull-out filing frames or 2 shelves
h.1280 mm		3 pull-out filing frames + 1 shelf for 0,5 binder high storage or 2 shelves
h.1380 mm		4 pull-out filing frames or 3 shelves
h.1680 mm		4 pull-out filing frames + 1 shelf or 3 shelves
h.1980 mm		4 pull-out filing frames + 2 shelves or 4 shelves

BULOSAFE COMBINATION LOCK

All KRS units have the code 000 upon delivery

Set your personal code:

- 1) Put the code on 000 (or the existing code if applicable)
- 2) The knob on the lock has to be in vertical position
- 3) At the backside of the lock, push the peg in the hole in the lock to the left with one hand. At the same time, form your preferred combination code with the other hand.
- 4) Release the peg when you have formed the new, personal code
- 5) Turn the knob a quarter turn to the right: your personal code has been accepted and disappears

Knob in horizontal position: the lock is open

Knob in vertical position: the lock is closed

To open: the knob is in vertical position. Form your personal code. Turn the knob to the right, in horizontal position.

To lock: close the tambour doors, turn the knob to the left, in vertical position.

Troubleshooting:

1) You're unable to lock the unit, unable to turn the knob.

Reason: the knob is in vertical position (the lock is closed). Form your personal code and turn the knob in the horizontal position to open the lock. Now close the doors and turn the knob to the left.

2) Unable to form a code

The combination jumps to 000

Reason: the lock is open (knob is in horizontal position)

Solution: form your code after having locked the unit. It's impossible to do that with the knob in horizontal position.

3) The lock doesn't work. You can freely open and close the lock by turning the knob.

Reason: your code is 000. You can set a personal code.

4) You don't know the code

To retrieve the existing code you can either try all combinations from 000 to 999. This will take you max. 15 minutes or you can purchase a decoder key.

Net price for the decoder key: 40

1. Tambour door storage units, excl. fittings

Height	Depth	Width	List prices type 1 & 2			List prices type 3	
			Code for type 1 & 2	Type 1	Type 2	Code for type 3	Type 3
750 mm	472 mm	800 mm	KRS070804 *	785	820	KR+070804 *	785
		1000 mm	KRS071004 *	815	860	KR+071004 *	840
		1200 mm	KRS071204 *	855	905	KR+071204 *	875
1050 mm	472 mm	800 mm	KRS100804 *	850	895	KR+100804 *	880
		1000 mm	KRS101004 *	900	955	KR+101004 *	925
		1200 mm	KRS101204 *	955	1.010	KR+101204 *	975
	572 mm	1200 mm	KRS101205 *	1.125	1.205	KR+101205 *	1.150
1280 mm	472 mm	800 mm	KRS120804 *	900	1.060	KR+120804 *	970
		1000 mm	KRS121004 *	965	1.115	KR+121004 *	1.015
		1200 mm	KRS121204 *	1.025	1.170	KR+121204 *	1.050
	572 mm	1000 mm	KRS121005 *	1.100	1.100	KR+121005 *	1.100
		1200 mm	KRS121205 *	1.195	1.355	KR+121205 *	1.150
1380 mm	472 mm	800 mm	KRS140804 *	965	1.015	KR+140804 *	995
		1000 mm	KRS141004 *	1.015	1.070	KR+141004 *	1.050
		1200 mm	KRS141204 *	1.075	1.150	KR+141204 *	1.100
	572 mm	1000 mm	KRS141005 *	1.215	1.100	KR+141005 *	1.215
		1200 mm	KRS141205 *	1.260	1.355	KR+141205 *	1.270
1680 mm	472 mm	600 mm	KRS170604 *	955	1.010	KR+170604 *	980
		800 mm	KRS170804 *	1.025	1.090	KR+170804 *	1.090
		1000 mm	KRS171004 *	1.095	1.170	KR+171004 *	1.160
		1200 mm	KRS171204 *	1.170	1.250	KR+171204 *	1.205
1980 mm	472 mm	600 mm	KRS200604 *	1.010	1.060	KR+200604 *	1.115
		800 mm	KRS200804 *	1.090	1.160	KR+200804 *	1.195
		1000 mm	KRS201004 *	1.185	1.250	KR+201004 *	1.305
		1200 mm	KRS201204 *	1.270	1.345	KR+201204 *	1.305
	572 mm	1000 mm	KRS201005 *	1.355	1.435	KR+201005 *	1.410
		1200 mm	KRS201205 *	1.445	1.530	KR+201205 *	1.465

* FINISHES & CODES

For type 1

1) Finish carcass

AN Anthracite - RAL7016
 CR Cream - RAL1015
 LG Light grey - RAL7035
 WI White - RAL9003
 ZW Black - RAL9005
 96 Alu color - RAL9006

2) Finish tambour doors

AN Anthracite - RAL7016
 CR Cream - RAL1015
 LG Light grey - RAL7035
 WI White - RAL9003
 ZW Black - RAL9005

For type 2

1) Finish carcass

96 Alu color - RAL9006

2) Finish tambour doors

AL Alu color - RAL9006

For type 3

Finish carcass and tambour doors


01 Lily white - NCS S0502Y
 02 Light grey - NCS S2500N
 03 Dark grey - NCS 6502B
 04 Black

Code example: KR+20120401 = 1.305

KRS

2. Fittings

List prices

		Code						
Shelf incl. shelf supports 	For KRS w.600 x d.472 mm	KRTLB0604 *		33				
	For KRS w.800 x d.472 mm	KRTLB0804 *		37				
	For KRS w.1000 x d.472 mm	KRTLB1004 *		41				
	For KRS w.1200 x d.472 mm	KRTLB1204 *		44				
	For KRS w.1000 x d.572 mm	KRTLB1005 *		67				
	For KRS w.1200 x d.572 mm	KRTLB1205 *		75				
Shelf divider/Book support 	Low (135 mm)							
	For KRS d.472 mm	KRTAS0104 *		17				
	For KRS d.572 mm	KRTAS0105 *		21				
	High (255 mm)							
	For KRS d.472 mm	KRTAS0204 *		19				
	For KRS d.572 mm	KRTAS0205 *		25				
Pull-out filing frame 	For KRS w.800 x d.472 mm	KRTHL0804 *		160				
	For KRS w.1000 x d.472 mm	KRTHL1004 *		165				
	For KRS w.1200 x d.472 mm	KRTHL1204 *		165				
	For KRS w.1000 x d.572 mm	KRTHL1005 *		164				
	For KRS w.1200 x d.572 mm	KRTHL1205 *		200				
Adjuster bars for pull-out filing frame 	For KRS d.472 mm	KRTVH04 *		17				
	For KRS d.572 mm	KRTVH05 *		17				
Suspended file retainer 		KRTSM *		5				
Anti-tilt mechanism for pull-out filing frames 		For KRS d.472 mm		For KRS d.572mm				
	For 2 filing frames - on 1 & 2 For 2 filing frames - on 1 & 3 For 2 filing frames - on 2 & 3 For 2 filing frames - on 1 & 4 For 2 filing frames - on 2 & 4 For 2 filing frames - on 3 & 4	} } } } } }	KRTAT070402	125	KRTAT070502	130		
			KRTAT100402	135	KRTAT100502	145		
			KRTAT140402	150	KRTAT140502	155		
			For 3 filing frames - on 1, 2 & 3 For 3 filing frames - on 1, 2 & 4 For 3 filing frames - on 1, 3 & 4 For 3 filing frames - on 2, 3 & 4	} } } }	KRTAT100403	135	KRTAT100503	145
					KRTAT140403	150	KRTAT140503	155
					KRTAT140404	150	KRTAT140504	155
	For 4 filing frames		KRTAT140404	150	KRTAT140504	155		

* FINISHES & CODES

For type 1
 AN Anthracite - RAL7016
 CR Cream - RAL1015
 LG Light grey - RAL7035
 WI White - RAL9003
 ZW Black - RAL9005

For type 2
 96 Alu color - RAL9006


For type 3
01 Lily white - NCS S0502Y
 02 Light grey - NCS S2500N
 03 Dark grey - NCS 6502B
 ZW Black - RAL9005

Code example: KRTLB120401 = 44

KRS

Fittings

List prices

		Code	
Adaptable depth bar for pull-out filing frame			
	For KRS w.1000 mm	KRTVJ10 *	19
	For KRS w.1200 mm	KRTVJ12 *	19
Drawerbox for pull-out filing frame			
	For KRS w.800 x d.472 mm	KRTBA0804 *	94
	For KRS w.1000 x d.472 mm	KRTBA1004 *	100
	For KRS w.1200 x d.472 mm	KRTBA1204 *	105
	For KRS w.1000 x d.572 mm	KRTBA1005 *	130
	For KRS w.1200 x d.572 mm	KRTBA1205 *	135
Divider for drawerbox (st of 2 pcs)			
	For KRS d.472 mm	KRTVB04 *	23
	For KRS d.572 mm	KRTVB05 *	23
Display shelf for magazines, brochures,...			
	For KRS w.1200 x d.472 mm	KRTTL1204 *	185
Pull-out shelf with laminate display			
	For KRS w.800 x d.472 mm	KRTHB0804 *	405
	For KRS w.1000 x d.472 mm	KRTHB1004 *	410
	For KRS w.1200 x d.472 mm	KRTHB1204 *	410
	For KRS w.1000 x d.572 mm	KRTHB1005 *	455
	For KRS w.1200 x d.572 mm	KRTHB1205 *	455
Pull-out shelf			
	For KRS w.800 x d.472 mm	KRTUB0804 *	160
	For KRS w.1000 x d.472 mm	KRTUB1004 *	165
	For KRS w.1200 x d.472 mm	KRTUB1204 *	165
	For KRS w.1000 x d.572 mm	KRTUB1005 *	200
	For KRS w.1200 x d.572 mm	KRTUB1205 *	200
Pull-out drawer			
	For KRS w.800 x d.472 mm	KRTUL0804 *	160
	For KRS w.1000 x d.472 mm	KRTUL1004 *	165
	For KRS w.1200 x d.472 mm	KRTUL1204 *	165
	For KRS w.1000 x d.572 mm	KRTUL1005 *	200
	For KRS w.1200 x d.572 mm	KRTUL1205 *	200

* FINISHES & CODES

For type 1
 AN Anthracite - RAL7016
 CR Cream - RAL1015
 LG Light grey - RAL7035
 WI White - RAL9003
ZW Black - RAL9005

For type 2
 96 Alu color - RAL9006




For type 3
 01 Lily white - NCS S0502Y
 02 Light grey - NCS S2500N
 03 Dark grey - NCS 6502B
 ZW Black - RAL9005

Code example: KRTUB0804ZW = 160

KRS

Fittings

List prices

		Code	
Pair of chrome tubes for lateral filing			
	For KRS w.600 x d.472 mm	KRTHS0604 *	46
	For KRS w.800 x d.472 mm	KRTHS0804 *	46
	For KRS w.1000 x d.472 mm	KRTHS1004 *	64
	For KRS w.1200 x d.472 mm	KRTHS1204 *	64
	For KRS w.1000 x d.572 mm	KRTHS1005 *	64
	For KRS w.1200 x d.572 mm	KRTHS1205 *	64
Wardrobe layout			
	Coat rod (1 pc.) to fix underneath a shelf (shelf not included)		
	For KRS w.1000 x d.472 mm	KRTKKIA04 *	17
	For KRS w.1200 x d.472 mm	KRTKKIA04 *	17
	Wardrobe layout (small shelves not included)		
	For KRS w.1200 x d.472 mm	KRTKKIB24 *	200
	Small shelf (1 pc.) for wardrobe layout		
	For KRS w.1200 x d.472 mm	KRTKKILB *	37
	Coat rod (1 pc.) to fix underneath a shelf (shelf not included)		
	For KRS w.1000 x d.572 mm	KRTKKIA05 *	21
	For KRS w.1200 x d.572 mm	KRTKKIA25 *	21
	Wardrobe layout (small shelves not included)		
	For KRS w.1200 x d.572 mm	KRTKKIB25 *	260
	Small shelf (1 pc.) for wardrobe layout		
	For KRS w.1200 x d.572 mm	KRTKKILB *	37

* FINISHES & CODES

For type 1
 AN Anthracite - RAL7016
 CR Cream - RAL1015
LG Light grey - RAL7035
 WI White - RAL9003
 ZW Black - RAL9005

For type 2
 96 Alu color - RAL9006

For type 3
 01 Lily white - NCS S0502Y
 02 Light grey - NCS S2500N
 03 Dark grey - NCS 6502B
 ZW Black - RAL9005

Code example: KRTHS0604LG = 46

3. Top panels and back panels

List prices

		Code		
Top panels in melamine, 16 mm thick				
A top panel is 450 or 553 mm deep and covers only the carcass, not the profiles on the front and the back side of the KRS unit.				
For 1 unit	w.600 x d.450 mm for KRS w.600 x d.472 mm	KRTBB0604 *	145	
	w.800 x d.450 mm for KRS w.800 x d.472 mm	KRTBB0804 *	145	
	w.1000 x d.450 mm for KRS w.1000 x d.472 mm	KRTBB1004 *	150	
	w.1200 x d.450 mm for KRS w.1200 x d.472 mm	KRTBB1204 *	155	
	w.1000 x d.553 mm for KRS w.1000 x d.572 mm	KRTBB1005 *	155	
	w.1200 x d.553 mm for KRS w.1200 x d.572 mm	KRTBB1205 *	155	
For 2 units side by side	w.2004 x d.450 mm for 2 x KRS w.1000 x d.472 mm	KRTBB2004 *	165	
	w.2404 x d.450 mm for 2 x KRS w.1200 x d.472 mm	KRTBB2404 *	170	
	w.2004 x d.553 mm for 2 x KRS w.1000 x d.572 mm	KRTBB2005 *	170	
	w.2404 x d.553 mm for 2 x KRS w.1200 x d.572 mm	KRTBB2405 *	190	
	Back panels in melamine, 16 mm thick			
	All KRS units come as a standard with holes in the back to attach a back panel			
h.750 mm	w.800 mm	KRTBSRP0708 *	190	
	w.1000 mm	KRTBSRP0710 *	205	
	w.1200 mm	KRTBSRP0712 *	210	
h.1050 mm	w.800 mm	KRTBSRP1008 *	210	
	w.1000 mm	KRTBSRP1010 *	220	
	w.1200 mm	KRTBSRP1012 *	235	
h.1280 mm	w.800 mm	KRTBSRP1208 *	275	
	w.1000 mm	KRTBSRP1210 *	290	
	w.1200 mm	KRTBSRP1212 *	305	
h.1380 mm	w.800 mm	KRTBSRP1408 *	280	
	w.1000 mm	KRTBSRP1410 *	300	
	w.1200 mm	KRTBSRP1412 *	320	
h.1680 mm	w.600 mm	KRTBSRP1706 *	275	
	w.800 mm	KRTBSRP1708 *	290	
	w.1000 mm	KRTBSRP1710 *	320	
	w.1200 mm	KRTBSRP1712 *	335	
h.1980 mm	w.600 mm	KRTBSRP2006 *	285	
	w.800 mm	KRTBSRP2008 *	315	
	w.1000 mm	KRTBSRP2010 *	335	
	w.1200 mm	KRTBSRP2012 *	365	

* FINISHES & CODES

- 01 Lily white - NCS S0502Y
- 02 Light grey - NCS S2500N
- 03 Dark grey - NCS 6502B
- ZW Black

Code example: KRTBSRP201201 = 365

4. Colors and materials

METAL CARCASS TYPE 1

	anthracite ral 7016
	cream ral 1015
	light grey ral 7035
	white ral 9003
	black ral 9005

PVC TAMBOUR DOOR TYPE 1

	anthracite ral 7016
	cream ral 1015
	light grey ral 7035
	white ral 9003
	black ral 9005


METAL CARCASS TYPE 2

	aluminium color ral 9006
---	-----------------------------

PVC TAMBOUR DOOR TYPE 2

	aluminium color ral 9006
--	-----------------------------

METAL CARCASS TYPE 3

	lily white NCS S 0502-Y
	light grey NCS S 2500-N
	dark grey NCS S 6502-B
	black ral 9005

PVC TAMBOUR DOOR TYPE 3

	lily white NCS S 0502-Y
	light grey NCS S 2500-N
	dark grey NCS S 6502-B
	black ral 9005

GENERAL INFORMATION

This price list is valid as from 1st January 2020. It supersedes and replaces all previous price lists.

Orders are accepted definitively as soon as they are confirmed in writing. Cancellations are not accepted, barring certain exceptions agreed by Bulo within 5 working days.

Images and descriptions in all catalogues and price lists are for reference only. Variations in structure and color may occur.

Bulo carefully selected their standard materials and fabrics. If the customer wants to use materials outside of the standard collection, Bulo reserves the right to test COM or COL before accepting the order, and if not suited as upholstery to refuse the order.

Bulo products are under guarantee for a 2 year period following the date of delivery. Each Bulo product has been manufactured with exceptionally high quality materials and with the greatest possible care. The product leaves the factory only after a thorough quality control. Should in spite of our control a material- or production fault occur, Bulo will exchange or repair the product or provide the necessary replacement parts, corresponding to the delivery conditions valid at the time the delivery of the product occurred.

This guarantee is valid on the sole condition that the care and maintenance instructions were correctly applied and the products have been used in regular fashion. Defaults that occur due to injudicious use are exempt from the guarantee.

We point out that wood is a natural material. Under the influence of light a discoloration of the original (or natural) wood colour occurs (ask Bulo or your Bulo partner for explanation and advice). Extremely important for the condition of the wood is maintaining the relative humidity as constant as possible (approx. 60%) to avoid drying, and with it shrinking, of the wood.

Appealing to the Bulo guarantee is possible within the guarantee period that starts from the date of delivery to the first owner or at the latest from 30 days after delivery of the goods to the Bulo dealer. Application on the guarantee can be directed either to Bulo or to your Bulo dealer, only on presentation of the invoice. Bulo or your Bulo dealer will take care of the complaint.

Specific exclusions :

- Excessive wear and tear is not covered by the guarantee.
- Damages occurred through improper use or incorrect maintenance are exempt from the guarantee.
- Indirect damages following a possible defect, such as loss of income, etc... are not covered by the guarantee.
- Repairs on the product or upholstery executed without written consent from Bulo are exempt from the guarantee.
- The guarantee does not apply on leather and fabric upholstery, gaslifts and castors, for which a 1 year guarantee applies.
- Materials that are not part of the standard Bulo collections, used on explicit instructions of the buyer, are not covered by the guarantee.
- Damage caused during onwards transport or improper storage of the product or damage caused by accident are exempt from the guarantee.
- Color variations; while every effort is made to ensure parity of color, Bulo can't guarantee an exact color match in any painted or wood finish or guarantee against commercial variance in fabrics, especially on repeat orders
- Natural product changes, due to aging, exposure to light and naturally occurring markings, scarring and wrinkles in leather. These are not covered by the guarantee.

For products or parts that Bulo procures with third parties Bulo applies the same guarantee as the guarantee conditions that Bulo receives from the supplier, with a minimum of 12 months.

Visible transport damage or loss must be noted on the carrier's CMR consignment note. This must be reported to the carrier and to Bulo in writing within 24 hours following the delivery, accompanied by photographs of the damaged packaging and a copy of the CMR consignment note. Invisible damage or loss must be reported to the carrier and to Bulo in writing within 7 calendar days following the delivery, accompanied by photographs of the damage.

When delivery ex-works, the liability for the goods is transferred from Bulo to the buyer from the moment the goods have left Bulo's warehouse.

For delivery to a warehouse, delivery will occur with an artic lorry without tailgate lift unless otherwise agreed by Bulo beforehand. A forklift truck has to be on site, as well as personnel to offload and take the goods inside.

Installation and waste disposal not included. Delivery during regular working hours.

Delivery to a private house always in consultation with Bulo.

Returned goods are not accepted unless the sender has received written consent and despatch instructions from Bulo.



HEADQUARTERS

Blarenberglaan 6
2800 Mechelen
Belgium

+ 32 15 28 28 28
info@bulo.be
www.bulo.com